# aniridia

Aniridia is an eye disorder characterized by a complete or partial absence of the colored part of the eye (the iris). These iris abnormalities may cause the pupils to be abnormal or misshapen. Aniridia can cause reduction in the sharpness of vision (visual acuity) and increased sensitivity to light (photophobia).

People with aniridia can also have other eye problems. Increased pressure in the eye (glaucoma) typically appears in late childhood or early adolescence. Clouding of the lens of the eye (cataracts), occur in 50 percent to 85 percent of people with aniridia. In about 10 percent of affected people, the structures that carry information from the eyes to the brain (optic nerves) are underdeveloped. Individuals with aniridia may also have involuntary eye movements (nystagmus) or underdevelopment of the region at the back of the eye responsible for sharp central vision (foveal hypoplasia). Many of these eye problems contribute to progressive vision loss in affected individuals. The severity of symptoms is typically the same in both eyes.

Rarely, people with aniridia have behavioral problems, developmental delay, and problems detecting odors.

## Frequency

Aniridia occurs in 1 in 50,000 to 100,000 newborns worldwide.

## **Genetic Changes**

Aniridia is caused by mutations in the *PAX6* gene. The *PAX6* gene provides instructions for making a protein that is involved in the early development of the eyes, brain and spinal cord (central nervous system), and the pancreas. Within the brain, the PAX6 protein is involved in the development of a specialized group of brain cells that process smell (the olfactory bulb). The PAX6 protein attaches (binds) to specific regions of DNA and regulates the activity of other genes. On the basis of this role, the PAX6 protein is called a transcription factor. Following birth, the PAX6 protein regulates several genes that likely contribute to the maintenance of different eye structures.

Mutations in the *PAX6* gene result in the production of a nonfunctional PAX6 protein that is unable to bind to DNA and regulate the activity of other genes. A lack of functional PAX6 protein disrupts the formation of the eyes during embryonic development.

#### **Inheritance Pattern**

Aniridia is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder.

In approximately two-thirds of cases, an affected person inherits the mutation from one affected parent. The remaining one-third of cases result from new mutations in the gene and occur in people with no history of the disorder in their family.

#### Other Names for This Condition

- absent iris
- congenital aniridia
- irideremia

## **Diagnosis & Management**

These resources address the diagnosis or management of aniridia:

- GeneReview: Aniridia https://www.ncbi.nlm.nih.gov/books/NBK1360
- Genetic Testing Registry: Congenital aniridia https://www.ncbi.nlm.nih.gov/qtr/conditions/C0003076/

These resources from MedlinePlus offer information about the diagnosis and management of various health conditions:

- Diagnostic Tests https://medlineplus.gov/diagnostictests.html
- Drug Therapy https://medlineplus.gov/drugtherapy.html
- Surgery and Rehabilitation https://medlineplus.gov/surgeryandrehabilitation.html
- Genetic Counseling https://medlineplus.gov/geneticcounseling.html
- Palliative Care https://medlineplus.gov/palliativecare.html

#### **Additional Information & Resources**

#### MedlinePlus

 Health Topic: Eye Diseases https://medlineplus.gov/eyediseases.html

### Genetic and Rare Diseases Information Center

 Aniridia https://rarediseases.info.nih.gov/diseases/5816/aniridia

### Additional NIH Resources

 National Eye Institute: Diagram of the Eye https://nei.nih.gov/health/eyediagram/

### **Educational Resources**

- Boston Children's Hospital: Cataracts http://www.childrenshospital.org/conditions-and-treatments/conditions/cataracts
- Cleveland Clinic: Cataracts and Cataract Surgery http://my.clevelandclinic.org/health/articles/cataracts
- Cleveland Clinic: Corneal Conditions http://my.clevelandclinic.org/health/articles/corneal-conditions
- Cleveland Clinic: Optic Atrophy http://my.clevelandclinic.org/health/articles/optic-atrophy
- Disease InfoSearch: Aniridia http://www.diseaseinfosearch.org/Aniridia/470
- MalaCards: aniridia http://www.malacards.org/card/aniridia
- Orphanet: Aniridia http://www.orpha.net/consor/cgi-bin/OC\_Exp.php?Lng=EN&Expert=77

## Patient Support and Advocacy Resources

- Aniridia Foundation International http://www.make-a-miracle.org
- National Organization for Rare Disorders (NORD) http://rarediseases.org/rare-diseases/aniridia/

#### GeneReviews

 Aniridia https://www.ncbi.nlm.nih.gov/books/NBK1360

## Genetic Testing Registry

 Congenital aniridia https://www.ncbi.nlm.nih.gov/gtr/conditions/C0003076/

## ClinicalTrials.gov

ClinicalTrials.gov
 https://clinicaltrials.gov/ct2/results?cond=%22Aniridia%22+OR+%22aniridia%22

### Scientific articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28aniridia%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+720+days%22%5Bdp%5D

### **OMIM**

 ANIRIDIA 1 http://omim.org/entry/106210

## **Sources for This Summary**

- Chao LY, Huff V, Strong LC, Saunders GF. Mutation in the PAX6 gene in twenty patients with aniridia. Hum Mutat. 2000;15(4):332-9.
   Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/10737978
- Lee H, Khan R, O'Keefe M. Aniridia: current pathology and management. Acta Ophthalmol. 2008 Nov;86(7):708-15. doi: 10.1111/j.1755-3768.2008.01427.x. Epub 2008 Oct 6. Review.
   Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/18937825
- Robinson DO, Howarth RJ, Williamson KA, van Heyningen V, Beal SJ, Crolla JA. Genetic analysis of chromosome 11p13 and the PAX6 gene in a series of 125 cases referred with aniridia. Am J Med Genet A. 2008 Mar 1;146A(5):558-69. doi: 10.1002/ajmg.a.32209.
   Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/18241071

### Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/aniridia

Reviewed: June 2009

Published: December 28, 2016

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services